

INDEX MAPS.

T. 36 N. R. 5 W. 2nd Mer.

Meanders - 345

	314		313		313		312		312		311	
314	6	342	5	337	4	331	3	326	2	321	1	309
	344		341		336		331		326		321	
315	7	341	8	335	9	330	10	325	11	321	12	310
	344		341		335		330		325		320	
315	18	339	17	335	16	329	15	324	14	320	13	310
	343		339		334		329		324		319	
316	19	338	20	334	21	328	22	324	23	319	24	310
	343		340		333		328		323		318	
316	30	340	29	332	28	328	27	323	26	318	25	311
	342		338		332		327		322		317	
317	31	338	32	331	33	327	34	322	35	317	36	311
	308		308		308		307		307		307	

T. 37 N. R. 5 W. 2nd Mer.

					355		355		354		
	6			5		3	365	2	361	1	
	Lake Michigan			4		369		365		361	252
			373								
			376		372		369		365		361
	7		8	372	9	368	10	364	11	360	12
357		376									252
	377		375		372		368		364		360
357	18	375	17	371	16	368	15	363	14	360	13
											253
	377		375		371		367		363		359
357	19	374	20	371	21	367	22	363	23	359	24
											253
	377		374		370		366		362		359
356	30	374	29	370	28	366	27	362	26	358	25
											253
	376		373		369		365		362		358
356		373		370		366		362		358	
											354
355	31		32		33		34		35		36
		380		380		379		379		379	
	357		351		350		350		349		349

The figures on the lines refer to the page.

any Township 36 North, Range 5 West. 3rd Mer. Ind.^a

C. L.

South Boundary.

Var. 42° 39' E,

- Met On S. side Sec. 36
 30.25 To Crooked creek 20 lbs. wide en. S,
 40.00 Set gr. sec. post from which
 a W. Oak 18 in. dia. bears N 52° W 336 lbs.,
 no other
 42.00 Leave mark
 69.03 a B. Oak 16 in. dia.,
 73.32 " G. Oak 16 " "
 80.00 Set post cor. Sec. 35 & 36 from which
 a B. Oak 16 in. dia. bears N 87° E 65 lbs. dist.,
 & W. ash 14 " " " N 78° W 58 " "
 W. of marsh land rolling & hilly, & timbered is
 Sugar, Oak Ash Lyrus, W. & B. Walnut &c.,
 same for Undergrowth & Sassafras & Spruce,

- Met On S. side of Sec. 35
 8.50 Wagon road from Dow to Morgan's prairie S. & W.,
 36.40 a Sugar 18 in. dia.,
 40.00 Set gr. sec. post from which
 a Sugar 14 in. dia. bears N 33° W 23 lbs. dist.,
 & a Beech 20 " " " N 76° E 61 " "
 52.24 a Beech 12 " "
 80.00 Set post cor. Sec. 34 & 35 from which
 a Sugar 20 in. dia. bears N 53° E 68 lbs. dist.
 & a Hickory 5 " " " N 36° W 8 " "
 Land & timber same as last - a good deal of Beech.

- Met On S. side Sec. 34 —
 4.00 Barrens
 20.00 Marsh
 39.00 Leave Do.
 40.00 Set gr. sec. post from which
 a W. Oak 5 in. dia. bears N 39° W 24 lbs. dist.,
 & an Aspen 14 " " " N 71° E 126 " "

T. 36 N. R. 5 W. 2nd Mer. Ind.^a

- 67.15 a Beech 14 in. dia.
 72.83 " Sugar 12 " "
 80.00 Set post cor. sec. 33 & 34 from which
 a Beech 14 in. dia. bears N 64 $\frac{1}{2}$ W 65 th. dist,
 & a Do. 16 " " " N 89 $\frac{1}{2}$ E 41 " "
 Barren, thin mank wet. E & W. of Do,
 rolling 1st rate land. Sugar, Lynn, Ash -
 Walnut Elm Beech &c

- Met On S. side of sec. 33,
 1.77 a Beech 18 in. dia.,
 35.70 a Brook 3 th. wide on E & W,
 40.00 Set q^r. sec. post from which
 a Beech 18 in. dia. bears N 37 W 45 th. dist,
 & a Do. 17 " " " N 39 E 66 " "
 72.80 a W. Oak 24 " "
 73.45 an Aspen 17 " "
 80.00 Set post cor. sec. 32 & 33 from which
 a B. Oak 18 in. dia. bears N 85 W 14 th. dist,
 & an Elm 5 " " " N 33 E 22 " "
 Land rolling 2nd rate timbered Oak Beech
 Sugar, Lynn, Elm, Ash &c

- Met On S. side Sec. 32
 34.26 To an Ironwood 5 in. dia.
 36.46 " a Lynn 10 " "
 40.00 Set q^r. sec. post from which
 an Ironwood 12 in. dia. bears N 30 W 28 th.,
 & a B. Oak 17 " " " N 69 $\frac{1}{2}$ E 60 "
 68.58 To an Elm 14 " "
 80.00 Set post cor. sec. 31 & 32 from which
 a Sugar 16 in. dia. bears N 45 W 52 th. dist,
 & a Hickory 15 " " " N 22 E 32 " "
 Land &c. same as on last mile,

Met On S. side of sec. 31

T. 36 N. R. 5 W. 3rd. New Ind^a

- 18.10 a W. Oak 16 in. dia,
 30.70 an Indian trail course S,
 32.58 a W. Oak 15 in. dia,
 40.00 Set q^r. sec. post from which
 a W. Oak 14 in. dia. bears N 64° W 56 M. dist,
 & a Do. 15 " " " N 29° E 31 " "
 58.00 Enter Cranberry & Lammie swamp
 81.89 Intersect W. boundary at 5.75.00 - set post,
 cor. Towns 35 & 36 N. R. 5 & 6 W. from which
 a R. Oak 16 in. dia. bears N 57° W 254 M. dist
 & a W. Oak 17 " " " S 27° E 210 " "
 Land high & rolling & mostly heavily timbered
 bears W. Oak &c. February 25th 1835,
 Surveyed by - Robt. Clark Jr. Dep. Sur,

East Boundary.

- Var. 7° 12' E,
 After having run this line North on Random
 then correct as follows - at Var. of 7° 12' E,
 South On E. side of Sec. 1
 10.00 a Brook 15 M. wide on. N. W.,
 17.00 Leave bottom mostly timber,
 21.00 a Dwelling house 250 M. E,
 31.50 a W. Oak 36 in. dia,
 45.59 Set q^r. sec. post from which
 a Beech 16 in. dia. bears S 53° W 24 M. dist,
 & a Do. 8 " " " N 14° W 13 " "
 52.00 a Brook 5 M. wide on. N. W.,
 71.00 " Do. 10 " " " N. W.,
 72.19 " Lym 18 in. dia,
 85.59 Set post cor. Sec. 1 & 12 from which
 a Sugar 6 in. dia. bears N 12° W 10 M. dist,
 & a Do. 15 " " " S 89° W 12 " "
 Bottoms 1st rate, up land rolling 2nd rate
 timbered Sugar. Lym. Beech Oak Elm Ash
 Poplar &c. some wet places,

T. 36 N. R. 5 W. 2nd Mer. Ind.

South On E. side of sec. 12

- 1.17 a Beech 15 in. dia.,
 1.55 a Brook 3 lks. wide en. N.W.,
 30.10 " Beech 8 in. dia.,
 40.00 Set gr. sec. post from which
 a Sugar 12 in. dia. bears N 71 $\frac{1}{2}$ W 34 lks. dist.,
 W. Walnut 12 " " " S 59 W 55 " "
 55.00 a Beech 30 " "
 68.54 " Sugar 16 " "
 80.00 Set post cor. sec. 12 & 13 from which
 a Sugar 30 in. dia. bears N 50 W 14 lks. dist.,
 & a Beech 14 " " " S 47 W 40 " "
 Land &c. same as on last mile,

South On E. side of sec. 13.

- 13.56 a Sugar 15 in. dia.,
 34.74 an Elm 19 " "
 40.00 Set gr. sec. post from which
 a Spruce 8 in. dia. bears N 20 W 20 lks. dist. &
 & a Sugar 10 " " " S 62 W 39 " "
 53.12 a Brook 6 lks. wide en. S.E. not durable
 53.50 To an Indian trail en. W.
 65.81 an Elm 7 in. dia.,
 69.00 a Sugar 15 " "
 80.00 Set a post cor. sec. 13 & 24 from which
 a Maple 13 in. dia. bears N 67 W 13 lks. dist.,
 & an Elm 12 " " " S 70 W 30 " "
 Land &c. similar to last more wet places

South On E. side Sec. 24

- 20.56 a Sugar 18 in. dia.,
 40.00 Set gr. sec. post from which
 a W. Oak 40 in. dia. bears S 60 W 38 lks. dist.,
 & a Poplar 18 " " " N 76 W 32 " "
 41.15 a W. Oak 36 " "
 42.84 To a Lake & set post from which

⁴
T. 36 N. R. 5 W. 2nd Mer. Ind.

66.00 a W. Oak 16 in. dia. bears N 57 $\frac{1}{2}$ W 27 $\frac{1}{2}$ M. dist,
 & a Do. 8 " " " S 82 $\frac{1}{2}$ E 19 " "
 Over Lake & set post from which
 a W. Oak 18 in. dia. bears S 45 $\frac{1}{4}$ W 11 M. dist,
 & a Do. 18 " " " S 66 E 37 " "
 80.00 Set post cor. sec. 24 & 25 from which
 a W. Oak 26 in. dia. bears N 50 W 23 M. dist,
 & an Elm 9 " " " S 84 W 23 " "
 Land &c. same as on last mile

South On E. side of sec. 25
 2.00 on Indian trail cor. S.W.
 8.50 Road to Chicago cor. W.
 31.58 a Spruce 16 in. dia. { Elm 11 S 57 $\frac{1}{4}$ W 23 M. dist,
 40.00 Set gr. sec. post. { B. oak 11 N 55 $\frac{1}{4}$ W 32 " "
 50.00 Great crooked creek marsh
 57.00 Old Sac trail from Detroit to Mississippi W. by S.
 80.00 Set post cor. sec. 25 & 36 from which
 a R. Oak 17 in. dia. bears N 82 $\frac{1}{4}$ W 106 M. dist,
 & a Do. 14 " " " S 91 W 89 " "
 N. of marsh Land similar to last

South On E. side of sec. 36
 40.00 Set gr. sec. post in marsh
 where raise a mound
 65.50 To Crooked creek 10 M. wide cor. S.W.
 80.00 To the Town corner,
 Land all marsh.
 Surveyed in 1834- by
 Robt. Clark. Dep. Sur. —

North Boundary.

Var. 5 $\frac{1}{2}$ 55 E.
 West On S. side sec. 36 T. 37 N. R. 5 W.
 8.00 a Brook 20 M. wide cor. N.W. & leave prairie
 bottom on island of Oak timber.

36 N. R. 5 W. 2nd Mer, Ind^a

- 12.90 a W. Oak 17 in. dia,
 16.00 Leave island & enter bottoms
 33.74 an Elm 18 in. dia,
 40.00 Set gr. sec. post from which
 an Elm 30 in. dia, bears $N 41\frac{3}{4} W 22$ th. dist,
 & a Do. 12 " " " $N 74\frac{3}{4} E 64$ " "
 44.40 a Brook 20 th. wide en. N.W.,
 60.02 " Do. 11 " " " N.W. Leave bottoms
 66.50 " Do. 6 " " " N.W.,
 72.79 " Do. 20 " " " N.W.,
 77.80 " Lyrus 16 in. diam.,
 80.00 Set post cor. sec. 35 & 36 from which
 a Sugar 13 in. dia, bears $N 34\frac{1}{2} W 35$ th. dist,
 & a Beech 6 " " " $N 68\frac{1}{4} E 67$ " "
 Bottom level & extremely rich, thicker Elm
 Plum &c, some wet places up land
 rolling 2nd rate & the timber is Beech
 Sugar Elm Lyrus ash &c,

- West On S. side sec. 35 T. 37 N. R. 5 W.,
 6.63 a Sp. Oak 30 in. dia.
 15.25 " Poplar 24 " "
 40.00 Set gr. sec. post from which
 a Sugar 18 in. dia, bears $N 50\frac{1}{2} E 46$ th.,
 & a Beech 30 " " " $N 53\frac{1}{2} W 40$ " dist,
 56.25 a Brook 3 th. wide en. N.W.,
 75.21 a W. Oak 8 in. dia.,
 78.00 Entered a Willow swamp
 80.00 Set post cor. sec. 34 & 35 from which
 a W. Oak 20 in. dia, bears $N 68 E 209$ th. dist
 & an aspen 5 " " " $N 73\frac{3}{4} W 5$ " "
 Land rolling 2nd rate & the timber is
 Beech, Sugar, Ash Oak Lyrus, Elm &c,
 some wet places.

West On S. side Sec. 34 T. 37 N. R. 5 W.,

T. 36 N. R. 5 W. 2nd. Mer. Ind.

4.00	Leave swamp
18.20	a Brook 6 lks. wide cr. NW,
26.69	" Beech 14 in. dia.,
33.75	" Brook 8 lks. wide cr. NW,
40.00	Set gr. sec. post from which an Elm 12 in. dia. bears N 65 E 44 lks. dist to Sugar 13 " " " N 10 W 36 " "
47.88	a Beech 10 " "
63.30	" Brook 5 lks. wide cr. NW,
73.56	" Lyrus 17 in. dia.,
78.75	" Brook 22 lks. wide cr. NW,
80.00	Set post cor. sec. 33 & 34 from which a Lyrus 12 in. dia. bears N 49 E 19 lks. dist to an Elm 8 " " " N 61 E W 32 " " Land &c. same as last mile,

West	On S. side of sec. 33, T. 37 N. R. 5 W.
8.25	a Brook 4 lks. wide cr. N,
12.84	a Sugar 14 in. dia. in line
37.59	" Poplar 24 " "
40.00	Set gr. sec. post from which a Beech 8 in. dia. bears N 77 E 29 lks. to W. ash 10 " " " N 83 E W 57 " dist,
40.77	a Beech 15 " "
60.00	" W. Oak 18 " "
63.35	" Brook 6 lks. wide cr. NW,
65.30	" Same " " " " S. W.
68.70	" Same " " " " NW,
80.00	Set post cor. sec. 32 & 33 from which a Beech 24 in. dia. bears N 20 E 15 lks. dist, to Sugar 12 " " " N 28 E W 38 " " Land &c. similar,

West	On S. side Sec. 32 T. 37 N. R. 5 W.
5.88	a B. ash 18 in. dia.,
28.57	" Brook 4 lks. wide cr. N.

T. 36 N. R. 5 W. 2nd Mer. Ind^a.

- 40.00 Set gr. sec. post from which
 a Poplar 30 in. diam bears N 48 E 41 lks. dist,
 & a Beech 15 " " " N 82 W 43 " "
- 45.90 a B. Ash 18 " "
- 57.31 " Beech 15 " "
- 71.57 " Brook 15 lks. widens N. Ent. bottoms
- 73.50 Entered Oak barrens
- 80.00 Set post cor. sec. 31 & 32 from which
 a W. Oak 20 in. diam. bears N 39 E 67 lks.
 & a P. Oak 14 " " " N 8 3/4 W 76 " dist,
 E. of barrens land &c. similar,
 Barrens level - clay soil.

- West On S. side Sec. 31 & 32 N. R. 5 W.
 10.00 Morgan's tavern house S. about 12 chs.
 22.50 Road from Detroit to Chicago N. W.
 40.00 Set gr. sec. post from which
 a G. Oak 16 in. diam. bears N 45 3/4 E 258 lks. dist,
 & a Do. 17 " " " N 76 5/8 W 93 " "
- 57.12 a G. Oak 17 " "
- 58.82 " Do. 16 " "
- 79.52 Intersect W. boundary at ^{Sec.} 5th 72nd 32 lks.
 Set post cor. T. 36 & 37 N. R. 5 & 6 W -
 a W. Oak 20 in. diam. bears S 64 E 44 lks. dist,
 & a Do. 16 " " " N 12 E 38 " "
- Land level barrens clay soil part
 thinly timbered. W^{1/2} well timbered Oak,
 February 28th 1834. Surveyed by
 Robert Clark, Jr. Dep. sur.

West Boundary.

- South On E. side Sec. 1 T. 36 N. R. 6 W.
 27.00 a Brook 50 lks. widens N. W. shallow rapid
 32.32 Set gr. sec. post from which
 a Oak 7 in. diam. bears S 28 W 31 lks. dist,

T. 36 N. R. 5 W. 2nd New, Ind.

40.21 & a Y. Oak 30 in. dia. bears N 23 $\frac{1}{2}$ W 76 lks. dist.
 41.50 " a W. Oak 14 " " "
 46.75 " " Brook 4 lks. wide ex. E.
 64.81 " " W. Oak 15 in. dia.
 72.32 Set post cor. sec. 1 & 12 from which
 a W. Oak 18 in. dia. bears N 58 W 130 lks.,
 & a Y. Oak 7 " " " S 77 $\frac{3}{4}$ W 103 "
 Sand level barrens & 2nd rate clay soil
 Timber W. & Y. Oak &

South On E. side Sec. 12 T. 36 N. R. 6 W.
 17.97 a W. Oak 14 in. dia.
 24.59 " Do. 13 " "
 25.00 Entered a marsh
 32.30 Leave the Do.
 40.00 Set gr. sec. post from which
 a W. Oak 20 in. dia. bears N 67 W 85 lks. dist.
 & a Do. 14 " " " S 85 $\frac{1}{2}$ W 69 " "
 42.50 Entered marsh
 47.50 Leave the Do.
 57.30 a Y. Oak 16 in. dia. & Entered heavy timber
 66.61 " W. Oak 40 " "
 70.00 Waggon road S. by E.
 80.00 Set post cor. Sec. 12 & 13. from which
 an Ironwood 7 in. dia. bears S 67 W 19 lks. dist.
 & a Sugar 28 " " " N 60 $\frac{1}{2}$ W 66 " "
 S. 30 ch. rolling & 1st rate, timber land -
 Lyne Oak, Sugar Poplar &c. Rem. barrens

South On E. side Sec. 13 T. 36 N. R. 6 W.
 13.20 a Sugar 12 in. dia.
 17.94 " Lyne 19 " "
 40.00 Set gr. sec. post from which
 a Y. Oak 18 in. dia. bears N 36 W 30 lks. dist.
 & B. Walnut 11 " " " S 42 W 6 " "
 49.08 a W. Oak 18 " "

^{my} T. 36 N. R. 5 W. 2nd. Mer. Ind. a

58.38 a W. Oak 16 in. dia.

80.00 Set post cor. sec. 13 & 24 from which
a W. Oak 11 in. dia bears S45 $\frac{1}{2}$ W 24 ths. dist,
& a Beech 16 " " " N23W 26 " "

Land rolling 1st rate heavy timber
Lynx Elm Ash Oak Beech Walnut Hickory &

South On E. side of sec. 24 T. 36 N. R. 6 W.

8.40 a Brook 8 lbs. wide cor. W,

18.38 a B. Oak 14 in. dia,

19.00 Enter a small swamp

20.38 a Cottonwood 15 in. dia,

23.00 Leave swamp

40.00 Set q^r. sec. post from which
a W. Ash 8 in. dia, bears S34 $\frac{3}{4}$ W 32 ths. dist,
& a W. Oak 18 " " " N23W 30 " "

66.36 a Hickory 16 " "

80.00 Set post cor. sec. 24 & 25 from which
a Y. Oak 20 in. dia, bears S44W 127 ths. dist,
& a Hickory " " " N84W 160 " "

1 $\frac{1}{2}$ land fr. similar. It rolling. Oak & Hickory
barrens, good soil thinly timbered -
Indian fields E. of line.

South On E. side of sec. 25 T. 36 N. R. 6 W.

24.54 a R. Oak 16 in. dia,

40.00 Set q^r. sec. post from which
a R. Oak 16 in. dia, bears S62 $\frac{1}{4}$ W 43 ths. dist,
& a W. Oak 40 " " " N60W 20 " "

52.39 a R. Oak 12 " "

88.78 a Hickory 6 " "

80.00 Set post cor. sec. 25 & 36 from which
a W. Oak 8 in. dia, bears S48 $\frac{1}{2}$ W 45 ths. dist,
& a Do. 36 " " " N55W 76 " "
Willy Oak Barrens 2nd rate. Well timbered,

317

^{up} T. 36 N. R. 5 W. 2nd. Nov. Ind.^a

South On E. side Sec. 36 T. 36 N. R. 6 W,
 20.38 a Y. Oak 16 in. dia. & Enter Swamp
 36.00 Enter a pond
 40.00 Dr. sec. cov. in pond, no bearings,
 50.00 Leave pond
 60.00 To island of dry land
 67.00 Leave " " " Do,
 80.00 Set post cov. Lowry 35 & 36 ct. R. 5 & 6 W,
 a R. Oak 16 in. dia. bears N 57 $\frac{1}{2}$ W 254 M. dist
 & a W. Oak 17 " " " S 27 $\frac{1}{2}$ E 210 " "
 Dry land similar, swamp mostly a
 cranberry marsh, & a few scattering *Tanet*
 groves.. Feb'y. 1834 - Surveyed by
 Robert Clark Jr. Dep. Sur.

Sub-division.

North Between sections 35 & 36
 18.57 an aspen 20 in. dia.,
 31.03 a Lym 12 " "
 40.00 Set gr. sec. post from which
 a Y. Oak 6 in. dia. bears N 48 $\frac{1}{2}$ E 48 M. dist,
 & a W. Oak 10 " " " S - W 26 " "
 67.12 To a Double Y. Oak 40 in. dia.,
 80.00 Set a post cov. sec. 25, 26, 35 & 36 from which
 a Beech 18 in. dia. bears N 50 W 42 M. dist,
 & a Sugar 15 " " " S 37 E 68 $\frac{1}{2}$ " "
 Land sec? rate soil & the timber Sugar, Beech
 Lym Aspen Oak Walnut, Mud. Elm, Beech & Sugar

East East On Randon between sec. 25 & 36
 78.90 Enter marsh prairie
 79.90 Intersect Range line 20 M. N. of post
 Land sec? rate soil R & W. Oak Lym Beech
 Sugar. Mud. Elm, W. Beech &

West Correct line between sec. 25 & 36,

T. 36 N. R. 5 W. 2nd. New. Ind.^a

- 20.00 a Lym 30 in. dia,
 31.37 " Sugar 14 " "
 39.95 Set gr. sec. post from which
 a Beech 8 in. dia. bears S 87° W 46 Mts. dist.
 + a Sugar 14 " " " N 39 3/4° W 38 " "
 41.20 a W. Oak 30 " "
 79.90 To sec. corner,

North Between sections 25 & 26

- 10.31 a Sugar 8 in. dia,
 29.50 " Lym 15 " "
 37.50 " Sugar 20 " "
 40.00 Set gr. sec. post from which
 a Beech 24 in. dia. bears N 52° E 29 Mts. dist.
 + a Ls. 29 " " " S 21 1/2° W 86 " "
 45.87 a W. Walnut 10 " "
 58.12 " Lym 20 " "
 67.92 " Sugar 10 " "
 80.00 Set a post cor. sec. 23. 24. 25 & 26 from wh.,
 a Beech 18 in. dia. bears N 75° W 35 Mts. dist.,
 + a Lym 20 " " " S 55° E 55 " "
 Sec? rate soil gently rolling, Sugar Beech
 Lym. W. & B. Walnut, N. G. Beech Sugar Hickory

East On Random between Sec? 24 & 25

- 49.50 Chicago road cr. N of W.
 55.50 To alder swamp northy N. of line
 68.50 Leave the swamp
 79.97 Intersect Range line 9 Mts. S. of post
 Sec? rate soil gently rolling land, Sugar
 Beech, Lym R. & W. Oak Walnut &
 N. G. W. Beech & Sugar &

West Correct line between sec? 24 & 25

- 7.66 a W. Oak 30 in. dia.
 39.98 1/2 Set gr. sec. post from which

T. 36 N. R. 5 W. 2nd Mer. Ind. a.

C. L. a Hickory 8 in. dia., bears N 45[°] E 40 M. dist.
 & a Gray Ash 12 " " " S. 58 W. 18 " "
 46.44 To a Sugar 20 " "
 59.85 " " B. Walnut 10 " "
 79.97 To sec. corner,

North Between sections 23 & 24

5.50 a Lynn 18 in. dia.,
 19.94 " Sugar 20 " "
 40.00 Set gr. sec. post from which
 a Beech 24 in. dia., bears S 60[°] E 34 M. dist.,
 & a Sugar 24 " " " N 60[°] W 26 " "
 50.00 Chicago road cr. N of W,
 50.11 a Lynn 24 in. dia.,
 59.90 " Sugar 18 " "
 70.60 " Do. 20 " "
 80.00 Set a post cor. sec. 13.14.23 & 24 from wh.,
 a Sugar 14 in. dia., bears S 36[°] E 29 M. dist.,
 & a Beech 30 " " " N 77[°] W 17 " "
 S¹/₂ sec. rate soil level - Sugar Beech
 Lynn ash W & B Walnut Elm, N. Y., Beech, Sugar,

East On Random between sec. 13 & 24

79.78 To the Range line 30 M. S. of post
 W¹/₂ fish rate soil. E¹/₂ sec. rate rolling
 land Sugar Beech Lynn Oak ash Walnut &
 Ind. etc. Beech Sugar & —

West correct line between sections 13 & 24

14.46 a Beech 30 in. dia.,
 25.45 a Sugar 20 " "
 32.31 " Do. 20 " "
 39.89 Set gr. sec. post from which
 a Beech 10 in. dia., bears S 22[°] E 24 M. dist.,
 & a Do. 18 " " " N 29[°] W 22 " "
 56.30 a Beech 24 " "

T. 36 N. R. 5 W. 2nd Mer. Ind.?

79.78 To Sec. corner, May 28th 1834

North Between sections 13 & 14
 26.46 a Beech 20 in. dia,
 33.35 a B. Walnut 40 in. dia,
 40.00 Set qtr. sec. post from which
 a Sugar 8 in. dia. bears S 42 E 25 th. dist,
 Ash 20 " " " N 75 E W 29 " "
 49.88 a Sugar 10 " "
 57.00 a Prairie mark on E & W. of line
 72.00 Leave mark prairie
 72.53 To a R. Oak 36 in. dia,
 80.00 Set post cor. sec. 11, 12, 13 & 14 from which
 a Beech 10 in. dia. bears N 53 E 9 th. dist,
 neglected —
 S $\frac{1}{2}$ 1st rate, soil level, timber Sugar
 Beech, Sugar Walnut Ash & W. G. spire
 Pawpaw, Sugar Hickory & N $\frac{1}{2}$ sec. rate
 Sugar Beech Sugar Ash Oak & mu. & other bushes,

East On Random between sections 12 & 13
 79.96 Intersect E. boundary 11 th. S. of post
 Land rich gently rolling, Timber Sugar
 Beech, Sugar, Walnut, Ash Hickory &
 W. G. Pawpaw, Hickory, Sugar &

West Correct line between sec. 12 & 13
 7.30 a Beech 15 in. dia,
 26.60 " Do. 30 " "
 39.98 Set qtr. sec. post from which
 a Beech 18 in. dia. bears N 21 W 13 th. dist,
 a Do. 20 " " " S 41 W 27 " "
 50.06 a Sugar 8 " "
 72.96 " Hickory 8 " "
 79.96 To Sec. corner — May 29th 1834.

And r. Burnside. Dep. Sur.

T. 36 N. R. 5 W. 2nd Mer. Ind.

North	Between sections 11 & 12
16.80	a Sugar 12 in. dia.
30.74	a Brook 6 lks. wide cr. W,
38.34	a Beech 10 in. dia.
40.00	Set gr. sec. post from which a Sugar 20 in. dia. bears N 18 E 10 lks. dist, 4 a Beech 18 " " " S 31 E W 32 " "
47.40	a Lymn 20 " "
59.50	a Brook 4 lks. wide cr. S. W,
63.19	a Beech 20 in. dia.
78.88	" Brook 3 lks. wide cr. W,
80.00	Set a post ev. sec. 1. 2. 11 & 12 from which a Beech 12 in. dia. bears N 37 E 48 lks. dist, N. Oak 6 " " " S 25 W 29 " "
	See? rate soil rolling. Beech Sugar Lymn Walnut & R. W. Oak. Und. growth, Beech Sugar Hickory &

East	On Random between sections 1 & 12
4.00	a Brook 4 lks. wide cr. N. W,
54.50	" Do. 6 " " " N. of W,
74.50	" Do. 4 " " " N. of W,
75.50	" Do. 4 " " " N. of W,
79.65	Intersect E. boundary 3 lks. N. of post. See? rate land, soil level finished to be wet. Beech Sugar Lymn Oak Poplar. Und. lths. Beech P. Ash &

West	Correct line between sec. 1 & 12
19.06	a Sugar 10 in. dia.
36.65	a Do. 24 " "
39.82	Set gr. sec. post from which a Beech 6 in. dia. bears S 49 E W 23 lks. dist, a S. Ash 15 " " " N 79 E 34 " "
64.38	a Beech 12 " "
79.65	Sec. corner,

North	Between sections 1 & 2
-------	------------------------

T. 36 N. R. 5 W. 2nd Mer. Ind^a

- 17.34 an Elm 24 in. dia.,
 22.60 " Creek 20 lks. wide cr. N. of C.,
 31.40 " Gray Ash 30 in. dia.,
 40.00 Set g^t. Sec. post from which
 an Elm 30 in. dia., bears N 57 $\frac{1}{2}$ W 29 lks. dist.,
 & Gray Ash 30 " " " S 36 $\frac{1}{2}$ E 65 " "
 59.28 an Elm 20 " "
 64.00 " Creek 20 lks. wide cr. N.,
 72.00 " Do. 20 " " " N
 76.50 To same 20 " " " N,
 78.00 " same 20 " " " N.E.,
 79.50 Leave Creek bottom
 84.00 Intersect N. boundary 29 lks. E. of post
 where set post cov. Sec. 1 & 2 from which
 a Beech 8 in. dia., bears S 58 $\frac{1}{2}$ E 19 lks. dist.,
 & Sugar 20 " " " S 38 $\frac{1}{2}$ W 62 " "
 S $\frac{1}{2}$ 1st rate Walnut bottom. N $\frac{1}{2}$ mainly &
 poor, 3^d rate land. May 30th 1834.

North Between sections 34 & 35

- 10.27 a B. Walnut 36 in. dia.,
 16.47 Pavin's farm house N. of line 5 chs.,
 40.00 Set g^t. Sec. post from which
 a Sugar 24 in. dia., bears S 12 $\frac{1}{4}$ E 28 lks. dist.,
 Walnut 8 " " " N 21 $\frac{1}{2}$ W 33 " "
 55.00 Enter barrens
 74.75 a Jack Oak 8 in. dia.,
 80.00 Set post cov. Sec. 26, 27, 34 & 35 from which
 a J. Oak 6 in. dia., bears S 28 $\frac{3}{4}$ E 68 lks. dist. &
 & Do. 6 " " " N 11 W 124 " "
 N $\frac{1}{2}$ barrens S $\frac{1}{2}$ Sugar, Beech Walnut & Spruce
 Oak &c. 1st rate soil -

East On Randon between Sec. 26 & 35

- 21.85 Enter thick timber
 80.35 Intersect E. line of Sec. 10 lks. N. of post

T. 36 N. R. 5 W. 2nd. Mer. Ind.

C. L. 2nd rate level soil Aspen & Jack Oak
 Hickory Sugar & M. gth. W Beech Sugar Hickory

West Correct line between sec. 26 & 35
 15.04 a B. Walnut 18 in. dia,
 40.17 $\frac{1}{2}$ Set gr. sec. post from which
 an Aspen 8 in. dia, bears N 62 E 18 lbs. dia,
 a Oak 6 " " " S 23 $\frac{1}{2}$ W 13 " "
 55.79 a R. Oak 8 " "
 80.35 To sec. corner,

North Between sections 26 & 27
 14.00 Entered thick timber
 33.24 a Gray Ash 18 in. dia,
 40.00 Set gr. sec. post from which
 a Beech 12 in. dia, bears N 46 E 12 lbs. dia,
 & Lynn 40 " " " N 82 $\frac{1}{2}$ W 7 " "
 71.18 To a Beech 40 " "
 80.00 Set post cor. sec. 22, 23, 26 & 27 from which
 a W. Walnut 24 in. dia, bears N 56 E 30 lbs. dia,
 & a Do. 8 " " " S 80 W 19 " "
 Land 1st rate & timber Sugar, Lynn Beech
 Walnut ash, M. gth., Sugar Pawpaw & pine,

East On Random between sections 23 & 26
 80.50 Entered Co. line of sec. 7 lbs. N. of post
 Soil 1st rate Sugar Beech Walnut Lynn
 M. gth., Beech & Ironwood &c.

West Correct line between sec. 23 & 26
 10.89 a G. Oak 30 in. dia,
 40.25 Set gr. sec. post from which
 a Hickory 8 in. dia, bears S 74 $\frac{1}{2}$ W 14 lbs. dia,
 & an Elm 10 " " " N 78 $\frac{3}{4}$ E 9 " "
 80.50 To sec. corner, May 31st 1834 —
 Andrew Burnside, Dep. Sur,

^W S. 36 N. R. 5 W. 2nd Mer. Ind. a

North Between Sections 22 & 23.
 24.50 a Sugar 24 in. dia,
 32.17 " Beech 14 " "
 40.00 Set gr. sec. post from which
 a Beech 18 in dia, bears S 50 $\frac{1}{2}$ W 25 lks. dist,
 & W. Walnut 4 " " " N 86 E 36 " "
 48.83 " Beech 12 " "
 66.18 Ironwood 10 " "
 80.00 Set post cor. sec. 14, 15, 22 & 23 from wh.
 a Sugar 24 in dia, bears N 55 $\frac{1}{2}$ E 25 lks. dist,
 & a Do. 10 " " " S 55 W 38 " "
 Soil 1st rate gently rolling. Sugar Beech
 Lyne B & W Walnut Hickory &c,
 Under growth Sugar Ironwood &c, very heavy.

East On Random between sec. 14 & 23
 27.50 Chicago road cor. N. W.,
 80.40 To E. line of sec. 40 lks. S. of post,
 Soil 2nd rate level Beech Sugar Lyne
 Und. 4th, Sugar W. Beech &c

West Correct line between sec. 14 & 23,
 10.05 a Sugar 10 in. dia,
 38.88 a Beech 18 " "
 40.20 Set gr. sec. post from which
 an Ash 20 in. dia, bears N 64 $\frac{1}{4}$ W 50 lks. dist,
 & a Sugar 15 " " " S 55 $\frac{1}{2}$ W 24 " "
 74.80 a Sugar 24 " "
 80.40 To sec. corner,

North Between Sections 14 & 15
 17.54 a Sugar -
 24.00 Chicago Road
 35.80 a Beech 14 in. dia,
 40.00 Set gr. sec. post from which
 an Ash 22 in. dia. bears N 69 W 24 lks. dist,

by T. 36 N. R. 5 W. 2nd Mer. Ind^a

C. L. and a Beech 15 in. dia, bears N 80 E 46 M. Dist,
 57.00 Entered a deep ravine en. N.
 56.00 a Beech 12 in. dia,
 59.00 Leave Ravine
 80.00 Set post cor. Secs. 10, 11, 14 & 15 from which
 a Beech 24 in. dia, bears S 77 E 34 M. Dist,
 & a Do. 24 " " " N 67 W 39 " "
 1/2 sec. rate land, Beech, Sugar Lynum Hickory.
 N 1/2 3^d rate very broken. W & R. Oak Hickory
 Beech & N. Y. Sassafras Dogwood Oak & Hickory &
 100 M. from cor. is a fine spring in sec. 14
 which is immediately lost in swamp in sec. 11.

East On Random between Secs. 11 & 14
 5.00 Enter a Bl. Ash swamp
 7.90 a spring brook 5 M. wide en. N. E.
 10.00 Leave Swamp
 14.00 To High land
 73.30 " a Branch 10 M. wide en. N. E.
 80.56 To E. line of sec. 60 M. N. of post
 N 1/2 3^d rate land very broken, W. & R. Oak
 Hickory & und. growth heavy of Hickory Oak.

West Correct line between Secs. 11 & 14
 21.97 a Sugar 22 in. dia
 40.28 Set q^r. sec. post from which
 a Beech 22 in. dia, bears S 62 E 39 M.
 & Sugar 15 " " " N 52 E 71 "
 65.90 a W. Oak 20 " "
 80.56 To Sec. corner, June 1st 1834

North Between sections 10 & 11
 1.00 Enter Bl. Ash swamp
 12.70 a Brook 5 M. wide en. N. W.
 23.50 To High lands
 24.80 a W. Oak 20 in. dia,

T. 36. N. R. 5 W. 2nd Mer. Ind.

- 32.96 a Bl. Gum 8 in. dia.,
 40.00 Set gr. sec. post from which
 a Sugar 15 in. dia., bears N 64 E 27 lbs. dia.,
 & a Y. Oak 5 " " " S 69 W 40 " "
 65.96 a Beech 20 " "
 80.00 Set post cor. sec. 2, 3, 10 & 11 from which
 a Beech 20 in. dia., bears S 75 W 4 lbs. dia.,
 & a R. Oak 10 " " " S 89 E 34 " "
S¹/₂ 3rd rate W Oak Beech & N. Ind. 9 lbs. -
heavy Oak Sap afras Maple Sugar &,
N¹/₂ sec. rate Sugar Beech Poplar & N. G,
heavy Sugar Spruce Maple &

- East On Random between sec. 2 & 11
 15.50 a Brook 4 lbs. wide
 73.50 Enter Bl. Ash Swamp
 79.40 a Branch of Calumet Cr. 14 lbs. wide cor. N. E.
 80.29 To E. line of sec. 100 lbs. N. of post
 Sec. rate land level Beech Sugar Spruce
 Oak Poplar & N. G. Sugar afras, h. & c.

- West Correct line between sec. 2 & 11
 12.03 a Beech 8 in. dia.,
 40.142 Set gr. sec. post from which
 an Elm 6 in. dia., bears N 35 W 12 lbs. dia.,
 & an Ash 5 " " " N 18 E 18 " "
 49.50 a Beech 30 " "
 80.29 To sec. corner,

- North Between sections 2 & 3,
 22.50 Enter Bl. Ash Swamp
 32.50 High land cor. E & W.
 33.40 a W. Oak 8 in. dia.,
 40.00 Set gr. sec. post from which
 a Poplar 18 in. dia., bears S 30 E 30 lbs.,
 & a Y. Oak 6 " " " S 70 W 19 "

327

T. 36 N. R. 5 W. 2nd New. Ind.

- 53.37 a *Lynx* 8 in. dia,
 57.50 Enter willow swamp
 79.97 Entered N. boundary 18 *lms.* W. of post
 & set post cor. sec. 2 & 3 from which
 an *Aspen* 4 in. dia. bears S 30 W 17 *lms.* dist,
 & a Do. 3 " " " S 25 E 20 " "
 June 2nd 1834 - A. Bunsie, D.S.

- North Between sections 33 & 34
 16.43 a *Beech* 36 in. dia,
 35.88 a *W. Oak* 24 " "
 40.00 Set q'r. sec. post from which
 a *W. Oak* 30 in. dia. bears S 85 E 30 *lms.* dist,
 & a *B. Oak* 12 " " " N 66 $\frac{1}{2}$ W 22 " "
 54.23 a *W. Walnut* 18 in. dia,
 64.18 " *W. Oak* 22 " "
 74.50 a *Brook* 4 *lms.* wide in. N. W. rapid & clear,
 80.00 Set post cor. sec. 27. 28. 33 & 34 from which
 a *W. Oak* 10 in. dia. bears N 30 W 29 *lms.* dist,
 & a Do. 10 " " " N 31 $\frac{1}{2}$ E 50 " "
 Immediately W. of corner a number of
 Indian wigwams, on a beautiful eminence
 N. of brook, 2nd rate soil. Rolling Oak Bush
Sugar, *Lynx* & some *Cherry*, *Maple*, *Elm*,
Buck, *Sugar* *Sassafras* &c -

- East On Randon between sections 27 & 34
 79.85 To E. line of sections 33 *lms.* N. of post
 3rd rate soil rolling B. & W. Oak barrens

- West Correct line between sec. 27 & 34
 39.92 Set q'r. sec. post from which
 a *W. Oak* 30 in. dia. bears S 21 E 56 *lms.* dist,
 & a *B. Oak* 24 " " " N 57 $\frac{1}{2}$ W 37 " "
 79.85 To section corner,

^{by} T. 36 N. R. 5 W. 2nd Mer. Ind.

North Between sections 27 & 28,
 9.94 a W. Oak 16 in. dia.,
 40.00 Set g^r. sec. post from which
 a W. Oak 20 in. dia. bears N - 50 W. dist;
 & a Do. 15 " " " S 3 E 64 " "
 53.90 a W. Oak 20 " "
 65.81 " Do. 6 " "
 80.00 Set a post cor. sec. 21, 22, 27 & 28 from which
 a W. Oak 14 in. dia. bears S 80 E 13 W. dist.
 & a Do. 18 " " " S 81 $\frac{1}{4}$ W 14 " "
 Land 3rd rate very rolling W & B Oak &c,

East On Random between sec. 22 & 27
 7.50 To rich Walnut & Sugar Land
 79.75 Intersect E. line of sec. 45 W. N. of post
 Soil 2nd rate. W $\frac{1}{2}$ rolling E $\frac{1}{2}$ level, Bush Sugar
 Lyne Walnut & Oak on W $\frac{1}{2}$ M^d. E $\frac{1}{2}$ Sugar
 Lyne Bush &c. On N. E g^r. sec. 27 is an
 Indian Sugar camp of large & fine trees,

West Correct line between sec. 22 & 27
 15.68 a Sugar 12 in. dia.
 31.00 a Bush 24 " "
 36.72 " Hickory 10 " "
 39.8 $\frac{1}{2}$ Set g^r. sec. post from which
 a Bush 8 in. dia. bears S 52 $\frac{1}{4}$ E 6 W. dist.
 & Sugar 8 " " " N 64 $\frac{1}{2}$ E 32 " "
 48.96 a Sugar 24 " "
 58.23 a Lyne 24 " "
 79.75 To sec. corner,

North Between sections 21 & 22
 21.39 a W. Oak 12 in. dia.,
 40.00 Set g^r. sec. post. at entrance of thick timber
 a R. Oak 8 in. dia. bears N 86 E 30 W. dist.
 & a B. Walnut 18 " " " N 59 $\frac{1}{2}$ E 61 " "

by T. 36 N. R. 5 W. 2nd. Mer. Ind.^a

63.33 a Beech 12 in. dia.
 73.20 " R. Oak 24 " "
 80.00 Set post cov. sec. 15. 16. 21 & 22 from which
 a Sugar 12 in. dia. bears N 64 E 43 lbs. dia.
 & Walnut 12 " " " S 44 W 45 " "
 & broken W & B, Oak 3rd rate N² E sec. rate
 Sugar Beech Lyrus & Ash. N. G. Sugar Hickory &

East On Random between sec. 15 & 22
 79.80 Interest E. line of sec. 11 lbs. N. of post
 N. of post 2nd rate soil W² E rolling S² E
 inclined to be wet, Beech Sugar, Lyrus Hickory
 and other Beech, Sugar Hickory &

West Correct line between sec. 15 & 22
 21.05 a Sugar 22 in. dia.
 36.08 a Lyrus 24 " "
 39.90 Set gr. sec. post from which
 an Ironwood 6 in. dia. bears S 54 E 50 lbs. dia.
 & a Sugar 24 " " " N 63 E 47 " "
 56.55 a Sugar 6 " "
 63.90 a Do. 20 " "
 79.80 To sec. corner, June 3rd 1834. -

North Between sections 15 & 16
 17.40 a Beech 6 in. dia.
 29.08 " Do. 20 " "
 32.64 " Do. 24 " "
 40.00 Set gr. sec. post from which
 an Ironwood 6 in. dia. bears S 55 W 16 lbs. dia.
 & a Beech 12 " " " N 20 W 15 " "
 57.85 a Do. 18 " "
 68.65 " Lyrus 18 " "
 80.00 Set post cov. sec. 9. 10. 15 & 16 from which
 a Beech 15 in. dia. bears S 55 E 7 lbs. dia.
 & a Do. 18 " " " N 67 E 34 " "

^{wy} T. 36 N. R. 5 W. 2nd Mer. Ind.

C. L. Sec. rate soil gently. Beech, Sugar Spruce
Hickory &c. Mud, gth, Sugar, Beech Hickory

East On Random between sections 10 & 15
1.50 Chicago Road cor. N.W.
80.03 Intersect E. line of sec. 8 1/2 mi. N. of post.
3rd rate soil rolling timbered W. & N. Oak
Beech Poplar &c. Mud, gth, Sassafras,
Dogwood Beech &c

West Correct line between sec. 10 & 15
18.54 a W. Oak 18 in. dia.,
31.41 a N. Oak 12 " "
40.00 Set q^r. sec. post from which
a Poplar 20 in. dia., bears N 95 34 W. dist.
a Hickory 10 " " " S 36 E 22 "
45.91 a Spruce 8 " "
58.53 " Beech 18 " "
80.03 To Sec. corner,

North Between sections 9 & 10
3.00 To Chicago Road corner N.W.
5.50 " Sugar 15 in. dia.,
29.90 a Red Oak 26 " "
40.00 Set q^r. sec. post from which
a Cherry 10 in. dia., bears S 32 1/2 E 16 W. dist.
a Do. 12 " " " N 24 W 24 "
66.07 a Beech 18 " "
67.00 " Barren 8 1/2 mi. wide cor. N.W.
76.65 " Beech 24 in. dia.,
80.00 Set post cor. sec. 3 & 4. 9 & 10 from which
a W. Oak 36 in. dia., bears N 58 W 36 W.
a Beech 20 " " " S 71 1/2 E 35 "
Met Beech land, & the timber is Beech
Spruce Sugar N & W. Oak, Poplar & an
occasional Cherry N.Y. Dogwood Sassafras.

^W
T. 36 N. R. 5 W. 2nd Mer. Ind. a

East — On Random between sec. 3 & 10
 46.88 a Brook 3 lks. wide
 67.00 " Do 3 " "
 79.96 Intersect E. line of sec. 14 lks. N. of post
 sec. rate soil level, Beech, Sugar Aspen
 Ash, R. & W. Oak Poplar &c. N. G. Horn? Sugar,
 Beech &c. dense, —

West correct the line between sec. 3 & 10
 12.46 To a Poplar 36 in. dia.
 39.98 Set g^r. sec. post from which
 a Sugar 12 in. dia. bears N 52 E 19 lks. dist,
 & an Ironwood 6 " " " S 6 1/4 W 47 " "
 57.38 a Beech 6 " "
 58.96 a Spruce 10 " "
 79.96 To section corner,

North Between sections 3 & 4
 6.14 a Brook 8 lks. wide cr. N.
 40.00 Set g^r. sec. post from which
 a Beech 10 in. dia. bears N 21 1/2 W 51 lks.
 & a Do. 10 " " " S 41 1/2 E 9 "
 44.58 a B. Walnut 8 " "
 60.46 a Beech 20 " "
 77.54 To N. boundary 34 lks. W. of post,
 where set post cor. sec. 3 & 4 from wh.
 a Beech 6 in. dia. bears S 77 1/2 W 4 lks. dist,
 & a Do. 6 " " " S 58 1/2 E 34 " "
 S E of this side 1st rate, Sugar Beech,
 Spruce Oak Poplar &c. Spruce Pawpaw &c.
 N 1/2 sec. rate Beech Sugar Poplar Spruce Oak,
 N. G. Sugar Spruce Beech Ironwood &c.
 June 4th 1834 - A. Burnside S. S.

North Between sections 32 & 33
 15.18 a Beech 22 in. dia.

^{up}
S. 36 N. R. 5 W. 2nd New Ind.

- 17.67 a Sugar 18 in. dia.
 40.00 Set g^r. sec. post from which
 a Beech 24 in. dia. bears S 85 $\frac{1}{2}$ E 54 $\frac{1}{2}$ M. dist,
 & a Sugar 14 " " " S 83 $\frac{1}{2}$ W 38 " "
 42.84 a Sugar 14 " "
 57.06 " Do. 24 " "
 69.73 a Red Oak 40 in. dia.,
 80.00 Set post cor. sec. 28, 29, 32 & 33
 an Ash 20 in. dia. bears N 21 $\frac{1}{4}$ E 34 M. dist,
 & a R. Oak 20 " " " S 48 $\frac{1}{2}$ W 28 " "
 Land 2nd rate timber Beech Sugar & Lym
 Oak Ash Poplar &c., Mud, & Sugar & Beech
 Hickory Lym &c. It is cut up with deep
 but narrow ravines -

- East On Random between sections 28 & 33
 33.50 Open grass marsh
 44.50 a Brook 5 lbs. wide cr. N.W.
 60.00 To thick timber
 63.00 Immediately N. of the line, is a spring
 of the largest clasp, strongly impregnated
 with Sulphate of iron, the rock & bed
 of it being quite red with sulphate of
 iron, out let 4 lbs. wide cr. N.W.
 65.50 ~~Cutten~~ open barrens (= post)
 79.83 Intersect E. line of sec. 8 lbs. N. of

- West Correct line between sec. 28 & 33
 39.91 Set g^r. sec. post from which
 an Elm 12 in. dia. bears East 14.15 $\frac{1}{2}$ M. dist,
 & W. Oak 48 " " " S 89 W 7.18 " "
 63.87 a Sugar 6 in. diam.
 70.40 a Cherry 12 " "
 79.83 To sec. corner,

North Between sections 28 & 29.

T. 36 N. R. 5 W. 2nd Mer, Ind.

- 6.57 a Sugar 10 in. dia.
 10.00 a deep ravine cr. from W to E,
 11.20 a Poplar 18 in. dia.
 13.50 Leave the Ravine
 15.00 " deep ravine course from W to E,
 16.73 a branch 12 ft. wide cr. E. brisk current
 The bottom & sides lined with a red coat
 of sulphate of iron
 19.00 Leave ravine & Enter broken barrens
 26.24 a W. Oak 24 in. dia. -
 31.50 Enter a wet prairie
 40.00 Set gr. sec. post from which
 a Bl. Oak 20 in. dia. bears N 57° W 240 ft.,
 & a W. Oak 21 " " " N 84 3/4° W 263 "
 70.00 Leave prairie, indications of iron ore here
 73.83 a W. Walnut 36 in. dia.
 80.00 Set post cr. sec. 20, 21, 28 & 29, no bearings
 a small part of S. 1/2 thick timber,
 balance poor barrens marsh &c.

-
- East On Randon between sec. 21 & 28
 12.00 small branch of Collumine cr. st.
 25.00 Is a spring brook 5 ft. wide
 35.00 Is broken W. & B. Oak barrens
 79.84 Is E. line of sec. 7 ft. N. of post
 W. & rich bottom land W. & B. Walnut
 Elm, Med. growth, W. Thorn Bl. Hawth. dense

-
- West Correct line between sec. 21 & 28,
 13.11 a Hickory 12 in. dia.
 21.61 a W. Oak 12 " "
 39.92 Set gr. sec. post from which
 a Br. Oak 12 in. dia. bears S 81° E 180 ft.,
 & a B. Oak 10 " " " N 20° W 186 "
 57.25 an aspen 30 " "
 54.72 a Birch 20 " "

by
 T. 36 N. R. 5 W. 2nd. Mer. Ind^a

79.84 To Sec. corner,

North Between sections 20 & 21

12.00 a Spring brook 3 lks. wide en. E,

24.92 a Sugar 20 in dia.

35.11 a Beech 18 " "

37.15 To branch of Callamie cr. 30 lks. wide
 en. NW, a Bold running stream

40.00 Set gr. sec. post from which
 an Elm 18 in dia. bears - $79\frac{1}{2}^{\circ}$ E 30 lks. dist,
 & Lym 12 " " " $S 39\frac{1}{2}^{\circ}$ W 39 " "

52.07 a Sugar 16 " "

72.94 a Beech 18 " "

80.00 Set post cor. sec^s 16, 17, 20 & 21 no bearings
 Separate rolling soil, Beech Sugar Lym
 Poplar Elm, N.G., Beech Sugar Haw P. Oak, &c dense
 June 5th 1834 - A. Burnside D. S.

East On Random between sections 16 & 21

15.50 Enter Lamerac swamp

20.00 Leave same

51.50 Enter " Do. mostly

63.00 Leave " Do.

79.89 To E. line of sec. 9 lks. E. of post
 Separate soil rolling, Beech Sugar
 Hickory, Oak &c. N.G., Beech Sug. Hickory &c.

West Correct line between sections 16 & 21

10.12 a Sugar 18 in dia.

12.48 a Poplar 36 " "

39.94 Set gr. sec. post from which
 a Beech 10 in dia. bears $S 70\frac{1}{2}^{\circ}$ W 45 lks. dist,
 & a Do. 18 " " " $N 32^{\circ}$ E 25 " "

53.54 a Beech 24 " "

79.89 To sec. corner

335

W T. 36 N. R. 5 W. 2nd. Mer. Ind.

North Between sections 16 & 17

- 2.30 a Beech 18 in. dia,
 8.12 " Do. 24 " "
 19.16 " Do. 12 " "
 40.00 Set post cor. sec. - from which
 a Beech 10 in. dia, bears N 62 E 8 23 M. dist,
 & an Hornwood 4 " " " S 39 E N 23 " "
 78.28 an Elm 12 " "
 80.00 Set post cor. sec. 8, 9, 16 & 17 from which
 a Beech 12 in. dia bears N 72 E 6 33 M. dist,
 & a Do. 10 " " " S 75 W 35 " "
 Sec? rate level land, Beech, Sugar Elm
 Lym, Poplar, W. W. Oak, M. G. Beech Sugar pine,

East On Random between sec. 9 & 10

- 12.00 Enter a Bl. Ash swamp
 19.50 Leave same
 80.00 Intersect E. line of sec. 26 M. N. & 4th post
 Sec? rate soil, Beech, Sugar Poplar Oak
 Lym, W. Oak, Sugar, Beech Hickory & ,

West Correct line between sec. 9 & 16

- 8.86 To a Y. Oak 14 in. dia,
 17.70 " " Beech 17 " "
 30.00 " " Sugar 14 " "
 40.00 Set gr. sec. post from which
 a Sugar 24 in dia, bears North 4 M. dist,
 & a Beech 5 " " " S 35 W 30 " "
 45.50 To a Beech 20 " "
 52.82 " " Do. 18 " "
 58.04 " " W. Oak 48 " "
 80.00 To sec. corner,

North Between sections 8 & 9

- 30.88 To an Hornwood 6 in. dia,
 33.40 " a Lym 26 " "

by S. 36 N. R. 5 W. 2nd. Nov. Ind.^a

- 36.80 a Beautiful spring brook 5th wide
 40.00 Set g^r. sec. post from which
 a Beech 14 in. dia. bears S 37 $\frac{1}{2}$ W 49th dist,
 & a Hickory 6 " " " N 21 E 26 " "
 54.44 a Sugar 20 in. dia,
 58.48 " W. Walnut 14 " "
 79.20 " Brook 8th wide. cr. W. of N.
 80.00 Set a post cor. sec. 4, 5, 8 & 9 from which
 a Beech 18 in. dia. bears S 62 $\frac{1}{2}$ W 11th dist,
 & a Do. 6 " " " N 69 $\frac{1}{2}$ E 69 " "
 S $\frac{1}{2}$ sec. rate soil rolling Beech Sugar &
 mod. grth. same as before - Dense
 N $\frac{1}{2}$ rich level land clear of W. G. Sugar
 Beech Walnut Ash &c. June 6th 1834. —

-
- East on Random between sec. 4 & 9
 9.71 a small spring brook
 40.00 an Indian sugar camp & wigwam
 46.00 Chicago road cr. N of W,
 49.00 To a Bl. ash swamp
 62.00 Leave swamp
 69.23 a Branch 12th wide cr. N.W.
 80.04 Intersect E. line of sec. at post
 N $\frac{1}{2}$ sec. rate, soil level & inclined
 to be wet, Sugar, Beech, B & W. ash
 Elm &c. mod. growth Spice Sugar &c.,
 E $\frac{1}{2}$ rolling Beech Sugar &c.

-
- West Correct line between sec. 4 & 9
 5.48 a Sugar birch tree
 12.49 " Hickory 18 in. dia,
 40.02 Set g^r. sec. post from which
 a Sugar 12 in. dia. bears N 15 $\frac{3}{4}$ W 10th dist,
 & Hornwood 4 " " " S 67 E 10 " "
 52.86 an ash 12 " "
 80.04 To sec. corner;

337

my T. 36 N. R. 5 W. 2nd. New. Ind.^a

North Between sections 4 & 5
 .35 a Brook 10 lks, wide en. —
 4.00 a Beech 6 in. dia,
 18.50 Enter a Bl. Ash Swamp
 24.50 Leave the same
 27.42 a Beech 24 in. dia,
 30.50 To Chicago road en. N.W.
 40.00 Set gr. sec. post from which
 a Beech 22 in. dia, bears N 42 E 18 lks,
 & a Lynn 10 " " " S 36 W 22 "
 43.44 a Beech 12 " "
 47.30 " Do. 24 " "
 50.00 at 3 chs. E. of line is a large Indian
 wigwam & sugar camp of large *Opuntia*
 64.19 a Hickory 12 in. dia,
 70.39 a Poplar 30 " "
 75.33 Intersect N. boundary 96 lks. W. of post,
 where set post cor. sec. 4 & 5 from which
 a Beech 18 in. dia, bears S 37 E 21 lks. dist,
 & a Do. 18 " " " S 23 W 26 " "
 S $\frac{1}{2}$ sec. rate, soil inclined to be wet
 Timber, Beech, Sugar, Hickory &
 N $\frac{1}{2}$ rich Sugar & Walnut land, June 7.

North Between sections 31 & 32
 8.00 Enter a small willow pond
 13.00 Leave " " Do.
 40.00 Set gr. sec. post from which
 a W. Oak 18 in. dia, bears S 55 E 25 lks,
 & a Do. 30 " " " S 35 E W 36 "
 48.47 a W. — 24 " "
 56.67 " W. Oak 8 " "
 80.00 Set a post cor. sec. 29.30.31 & 32
 an Ash 10 in. dia, bears N 31 E 34 lks. dist,
 & a Lynn 44 " " S 24 E W 22 " "
 S $\frac{1}{2}$ open 2nd rate Hickory soil N $\frac{1}{2}$ broken

T. 36 N. R. 5 W. 2nd Mer. Ind.^a

C. L. 3^d rate W. Oak Hickory &c, under growth
Sassafras Dogwood &c —

East On Randow between sec. 29 & 32
7.50 an Alder swamp ev. N.E. & S.W.
18.50 Leave the swamp
79.85 Intersect E. line of sec. 27 th. N. of post
W² swamp & barrens & E² thick timber
Entirely cut up with deep ravines

West Correct line between sec. 29 & 32
86 To an Elm 10 in. dia,
1.69 " " Sugar 6 " "
3.18 " " Sugar 10 " "
13.75 " " Ash 18 " "
39.92² Set gp. sec. post from which
an Elm 12 in. dia. bears N 55² W 33 th. dia,
& a Maple 8 " " " S 51⁴ W 10 " dia,
41.98 a W. Oak 12 " "
55.73 " Hickory 20 " " North Betw. sec. 29 & 30 } sec/page
79.85 To sec. corner E. & W. Betw. sec. 20 & 22 } 340.

North Between sections 19 & 20
15.77 a Spruce 20 in. dia,
32.50 a large spring strongly impregnated
with sulphate of iron, out let ev. N.W.
40.00 Set gp. sec. post from which
a Sugar 8 in. diam. bears N 54 E 43 th. dia,
& a Beech 18 " " " N 53 W 57 " "
57.26 a Beech 20 " "
65.08 " Do. 24 " "
70.08 " Do. 24 " "
80.00 Set post ev. sec. 17, 18, 19 & 20 from which
a Beech 18 in. dia. bears S 59² W 16 th. dia,
& a Do. 20 " " " N 57² - 59 " "
S² Beech timber & sugar &c. cut up with

339

by
T. 36 N. R. 5 W. 2nd Mer. Ind.

C. L. ravines, deep & abrupt, N^W more level
Beech, Sugar Lyne & N. G. Beech Sugar,

East On Random between sec. 17 & 20
5.00 Entered a B. ash swamp
18.50 Leave the " Do,
33.00 Entered a " " Do,
35.50 To a creek 36 lbs. wide cr. N.W. branch Calumet
38.40 Leave the swamp
42.00 a spring brook 5 lbs. wide cr. N.W.
79.87 Intersect E line of sec. 20 lbs. N. of post
Sec. 20 rolling land, Beech Sugar Lyne
Midgrowth Beech Sugar & Dense.

West Correct line between sec. 17 & 20
29.61 To a Beech 20 in. dia,
39.93¹/₂ Set q^r. sec. post from which
a Beech 24 in. dia. bears N 76 43 lbs. dip
Va Do. 10 " " " S 24 1/2 W 30 " "
50.07 To a Sugar 20 " "
79.87 To the sec. corner, June 9th 1834,

North Between sections 17 & 18,
3.59 a Sugar 16 in. dia,
9.86 a Beech 12 " "
19.50 " Willow swamp cr. et,
19.66 Swamp ash 18 in. dia,
25.00 Leave the swamp
31.25 a Lyne 12 in. dia,
37.50 Entered a Creek bottom
38.50 a creek, branch of Calumet cr. N.W.
40.00 Set q^r. sec. post from which
an ash 4 in. dia. bears S 42 1/2 E 12 lbs. dist
N. Walnut 6 " " " N 6 W 22 " "
50.00 Leave creek bottom
64.54 a Beech 20 in. dia.

my 36 N. R. 5 W. 2nd Mer. Ind. "

80.00 Set post cor. sec. 7, 8, 17 & 18 from which
a Buck bears S 80 E 24 lks. dist;
Va Do. 24 in. dia. " N 66 1/4 W 35 " "
Sec. rate soil Beech, Sugar Oak &c,
mid. gth, Sugar, Buck, R. Pear & W. Thorn
Pickety ash very dense,

North Between sections 29 & 30

12.05 a W. Oak 20 in. dia.,

37.66 a R. Oak 24 " "

40.00 Set gr. Sec. post from which
a R. Oak 18 in. dia. bears S 21 E 16 lks. dist;
Va Do. 18 " " " N 24 W 41 " "

46.80 a W. Oak 12 " "

68.50 a Double Walnut 30 in. dia.,

80.00 Set post cor. sec. 19, 20, 29, & 30 from which,
a R. Oak 6 in. dia. bears S 57 E 15 lks. dist,
I am Aspen 6 " " " N 56 W 29 " "
S 1/2 barrens rolling N 1/2 rich Oak 134,
W. Walnut openings gently rolling

East On Random between sec. 20 & 29

75.50 Enter a marsh

79.82 Intersect E. line of sec. 36 lks. N. of Jo,
Oak openings, barrens & 2nd rate,

West Correct line between sec. 20 & 29

55.65 an Elm 12 in. dia.,

13.35 a W. Oak 18 " "

39.91 Set gr. sec. post from which
a W. Oak 18 in. dia. bears N 15 1/4 W 49 lks.,
Va Do. 18 " " " S 15 1/2 W 59 "

50.62 a R. Oak 24 " "

74.75 a Do. 30 " "

79.82 To sec. corner,

^{map} S. 36 N. W. 5 W. 2nd New, Ind.^a

East On Random between sec. 8 & 17
 32.50 Entered a Willow swamp on. N.W.
 50.00 Leave same
 79.86 Intersect E. line of sec. 3 1/2 mi. N. of post
 Sec. 1 rate soil level Beech Sugar Oak Lywn
 mud, 5th, Beech Sugar Hawth.

West Correct line between sec. 8 & 17
 6.22 a Double Beech 24 in. dia.,
 17.00 a W Oak 14 in. dia.,
 39.93 Set gr. sec. post from which
 a Swamp Oak 5 in. dia., bears S 78 1/2 W 3 1/2 mi. dist.,
 & a Do. Do. 5 " " " N 61 E 26 " "
 47.20 To an aspen 10 " "
 79.86 To sec. corner,

North Between Sections 7 & 8,
 13.33 To an Elm 16 in. dia.,
 26.29 " a Beech 18 " "
 40.00 Set gr. sec. post from which
 a W. Oak 72 in. dia., bears N 63 W 29 mi.,
 & a Beech 18 " " " S 66 E 63 "
 45.87 a Sugar 12 " "
 56.44 a Beech 12 " "
 76.25 a Lywn 8 " "
 80.00 Set post cor. sec. 5, 6 & 7 & 8 from which
 a Sugar 10 in. dia., bears N 85 W 17 1/2 mi. dist.,
 & a Lywn 16 " " " S 64 1/4 E 4 " "
 2nd rate soil level Beech, Sugar, Oak
 Poplar Lywn &c. N. E. Beech Sugar &c.,

East On Random between sec. 5 & 8
 29.50 To head of Willow swamp on. N.W.
 29.50 Leave the swamp
 80.13 Intersect E. line of sec. 15 1/2 mi. S. of post,
 mud 3rd rate Beech, Sugar, Oak, Poplar, Lywn. P. Oak &c.

wp. T. 36 N. R. 5 W. 2nd. Mer. Ind. "

West Correct line between sec. 5 & 8,
 19.33 a Sugar 20 in. dia.,
 34.81 " Do. 21 " "
 40.06 Set gr. sec. post from which
 a Beech 18 in. dia. bears N 26° W 25 ths,
 & a Hickory 10 " " " S 22° W 9 " dish,
 47.97 To a Beech 12 " "
 54.59 " " Do. 20 " "
 60.00 " " Do. 24 " "
 80.13 To sec. corner,

North Between sections 5 & 6
 25.00 Enter rich bottom land
 31.00 " grassy marsh
 40.00 Set gr. sec. post in marsh
 a W. Oak 24 in. dia. bears S 81° W 200 ths,
 & a Do. 20 " " " N 60° W 189 "
 50.00 Leave marsh
 60.06 Chicago road cr. N. W.
 60.50 a W. Oak 12 in. dia.,
 65.33 a R. Oak 20 " "
 72.59 Intersect N. boundary 155 ths. N. W.
 of post. where set post cor. Sec. 5 & 6
 a R. Oak 18 in. dia. bears S 32° W 140 ths,
 & a W. Oak 30 " " " S 67° E 280 "
 I & sec. rate soil Beech Sugar Poplar
 Oak & Mud. Gt. Beech Sugar &
 N & bottom land grass marsh & barrens
 June 10th 1834 A. Burnside D. S.

West On Random between sec. 30 & 31
 60.00 2 chs. S. of line a small beautiful lake
 80.95 Intersect W. boundary 18 ths. N. of post
 sec. rate soil rolling Oak openings -
 a W. Oak 30 in. dia. bears N 57½° E 44 ths,
 & a Do. 12 " " " S 46½° E 149 "

⁴⁰
T. 36 N. R. 5 W. 2nd Meridian

East Correct line between sec. 30 & 31
40.95 Set gr. sec. post from which
a W. Oak 24 in. dia. bears N 59 $\frac{1}{2}$ E 48 $\frac{1}{2}$ ft.,
& a Do. 12 " " " S 41 $\frac{1}{2}$ W 85 " dit,
65.50 a W. Oak 24 " "
80.95 To sec. corner,

West On Random between sec. 19 & 30
80.07 Intersect W. boundary 23 ft. N. of post
a Hickory 20 in. dia. bears S 19 $\frac{1}{2}$ E 138 $\frac{1}{2}$ ft.,
& a Do. 15 " " " N 36 $\frac{1}{4}$ E 250 "
6 $\frac{1}{2}$ B & W. Oak & Walnut openings rich
W $\frac{1}{2}$ Oak Barrens rolling —

East Correct line between sec. 19 & 30
9.80 a B. Oak 18 in. dia.,
23.80 " W. Oak 6 " "
31.76 " Hickory 12 " "
40.07 Set gr. sec. post from which
an Elm 8 in. dia. bears N 8 W 26 ft. dit,
& a B. Oak 20 " " " S 4 W 70 " "
53.94 a B. Oak 24 " "
80.07 To sec. corner,

West On Random between sec. 18 & 19
2.04 a Spring brook 8 ft. wide in. N.W.,
& Enter a beautiful rich Walnut &
Sugar bottom —
40.00 rise to rich up land Bush Sugar Walnut
79.33 Intersect W. boundary central between —
bearings for cor. Sec. 13 & 24. Range 6 W. no stake could
be found - where set post cor. sec. 18 & 19 from wh.
a Bush 8 in. dia. bears, S 62 E 20 ft. dist,
& a Do. 12 " " " N 62 E 40 " "
course to bearings of Sec. 13 & 24 S. 36 N. R. 6 W.,
W. Oak 10 S 52 W 22 - Bush 16 N 21 $\frac{1}{2}$ W 30 -

^{by} T. 36 N. R. 5 W. 2nd. Mer. Ind.^a

East Correct line between sec. 18 & 19
 18.49 a W. Oak 36 in. dia.
 39.33 Set gp. sec. post from which
 an Ironwood 8 in. dia. bears N 64° 48' W. dist.
 & a W. Oak 16 " " " N 36° 1/2' W 38 " "
 79.33 To sec. corner, June 12th 1834.

West On Random between sec. 17 & 18
 36.00 Enter Birch bottom of creek
 39.75 a creek 40 yds. wide en. N.W. current brick
 Branch of Callumine creek
 43.00 Leave creek bottom
 61.50 To willow pond water 3 yds. deep
 65.00 Leave willow pond
 78.76 Intersect W. boundary 4 yds. S. of post
 a Spruce 12 in. dia. bears S 29° 1/2' E —
 & a W. Oak 6 " " " N 51° E —
 East 1/2 level & sec. rate soil Timber
 Birch & Sugar, Mud, Glk. Birch & Pine,
 W 1/2 rolling soil —

East Correct line between sec. 17 & 18
 60.62 a W. Oak 36 in. dia.
 38.76 Set gp. sec. post in creek from which
 an Elm 4 in. dia. bears S 55° 1/2' W 31 yds.
 & an Ash 6 " " " S 21° E 48 "
 47.24 an Elm 16 " "
 78.76 To sec. corner,

West On Random between sec. 6 & 7
 44.80 To a creek 40 yds. wide en. N.W.
 a branch of Callumine creek,
 78.07 Intersect W. boundary 34 yds. N. of post
 a W. Oak 30 in. dia. bears N 83° 1/2' E 42 yds. dist.
 & a Do. 24 " " " S 42° 1/2' E 171 " "
 Sec. rate soil Birch, Sugar Oak Poplar

^{up} T. 36 N. R. 5 W. 2nd. Mer. Ind.?

C. S. Bl. Gum &c. $\frac{1}{4}$ barney. Mud. Lth. Rowwood
Saparas - very dense -

East correct line between Sec. 6 & 7
 25.40 To a Hickory 12 in. dia.
 38.07 Set gr. sec. post from which
 a Poplar 10 in. dia. bears N $20\frac{1}{2}$ E 13 M. dist,
 & a R Oak 10 " " " S $11\frac{1}{2}$ W 30 " "
 48.42 To a W Oak 8 " "
 68.06 " an ash 6 " "
 78.07 To the Sec. corner, June 12th 1834

Meanders of lake in Sec. 24.
 Begin at post in E. boundary, on S,
 side of lake thence -

Course C. S.	Remarks,
N 78 W 6.00	
N 52 W 11.00	
N 25 W 5.00	
N 16 E 5.00	
N 55 E 4.00	
N 28 E 5.00	
N 62 E 3.00	
N 89 E 5.00	
S 47 E 2.50	To post in E. boundary on N. side of lake. -

General Description.
 There are indications of iron ore
 throughout the whole of this township
 especially in the N.E. & S.W. parts.
 A partial windfall in the course of
 last season passed through from S.W.
 corner to N.E. from 1 to $1\frac{1}{2}$ miles in width,

^{up} T. 36 N. R. 5 W. 2nd Mer. Ind^a

I hereby certify that in pursuance of a contract with Mr. J. Williams Sur.
General of the U. States for the states
of Ohio Indiana & Michigan Territory,
dated 21st day of April 1834 & in strict
conformity to the laws of the U. States &
the instructions of said Sur. Genl. I have
surveyed & subdivided into sections, Town-
ship 36 North, Range 5 W. in the state of
Indiana N. of 2nd principal Meridian -
And I do further certify that the
foregoing are the true and original
field notes of said survey and subdivision
Executed as aforesaid. -

Certified this 12th day of June 1834

Andrew Burnside D. S.

for William Clark Dep. Sur.

A. G. Polke } chain -
Seth Way } - men -
J. Haines - Marker.

I certify that the foregoing transcript
of field notes of Township 36 North -
Range 5 West. 2nd Meridian in the state
of Indiana, has been compared with
the original on file in this office & found
to be correct.

William Johnston
Sur. Genl.

Surveyor General's office,
Cincinnati. Oct. 7th 1842,

comp -